ELSEVIER

Inorganica Chimica Acta

Volume 231, Numbers 1–2, 15 March 1995

Contents

Articles

Synthesis and coordination chemistry of 2,6-bis(diethoxyphosphino)pyridine *P,P*-dioxide. Crystal and molecular structure of $UO_2(NO_3)_2\{[(EtO)_2P(O)]_2C_5H_3N\}$ 1
A.A. Russell, R.L. Meline, E.N. Duesler, R.T. Paine (Albuquerque, NM, USA)

Competition between the terminal amino and imidazole nitrogen donors for coordination to Ni(II) ions in oligopeptides 7
W. Bal, H. Kozlowski (Wrocław, Poland), R. Robbins, L.D. Pettit (Leeds, UK)

High oxidation state rhenium complexes with the hydridotris(1-pyrazolyl)borato-oxorhenium(V) core. Crystal and molecular structures of $[HB(pz)_3ReO(HNNC_8H_5N_2)]$ and $[HB(pz)_3ReO(2\text{-}SC_5H_3N)]$ 13
P.B. Kettler, Y.-D. Chang, Q. Chen, J. Zubieta (Syracuse, NY, USA), M.J. Abrams, S.K. Larsen (West Chester, PA, USA)

A violet mixed-valence copper–mercaptoethylamine complex generated electrochemically or by reversible interact with oxygen 21
B. Loeb, I. Crivelli, C. Andrade (Santiago, Chile)

Synthesis and electrochemistry of mono- and binuclear europium complexes with the macrocyclic ligand 1,4,7,10,14,17,20,23-octaazacyclohexacosane-1,4,7,10,14,17,20,23-octaacetic acid (OHEC) 29
U. Böttger (Berlin, Germany), O. Galin (Jerusalem, Israel), H. Schumann (Berlin, Germany), M. Michman (Jerusalem, Israel)

Mixed metal complexes of Groups 10 and 11 elements. The structure and properties of $[M(mnt)_2\{Ag(PR_3)_2\}_2]$ (M = Ni, Pd, Pt; mnt^{2-} = maleonitriledithiolate). 35
M. Ebihara, M. Tsuchiya, M. Yamada, K. Tokoro, T. Kawamura (Gifu, Japan)

Ferrocene containing chelating ligands
3. Synthesis, spectroscopic characterization, electrochemical behaviour and interaction with metal ions of new ligands obtained by condensation of ferrocenecarboxaldehyde with 2-amino-benzoic acid derivatives. Crystal structures of 2-ferrocenylmethylamino-5-methyl-benzoic acid and 2-bis(ferrocenylmethyl)ammonium-5-methyl-benzoic acid perchlorate 45
J. Cano, A. Benito, R. Martínez-Máñez, J. Soto, J. Payá (Valencia, Spain), F. Lloret, M. Julve, M.D. Marcos (Burjassot, Valencia, Spain), E. Sinn (Kingston upon Hull, UK)

mer-$[Ru(terpy)Cl_3]$ (terpy = 2,2′:6′,2″-terpyridine) shows biological activity, forms interstrand cross-links in DNA and binds two guanine derivatives in a *trans* configuration 57
P.M. van Vliet, S.M.S. Toekimin, J.G. Haasnoot, J. Reedijk (Leiden, Netherlands), O. Nováková, O. Vrána, V. Brabec (Brno, Czech Republic)

Cationic phosphine complexes of gold(I): an electrospray mass spectrometric study 65
R. Colton, K.L. Harrison, Y.A. Mah, J.C. Traeger (Bundoora, Australia)

Chiral metal complexes
41. Stereoisomerism in palladium(II) complexes of a series of chiral bis-picolyl N_4-tetradentate ligands 73
R.R. Fenton, F.S. Stephens, R.S. Vagg (Sydney, NSW, Australia), P.A. Williams (Kingswood, NSW, Australia)

Interactions of some crown ethers, cyclam and its tetrathia analogue with alkali, alkali earth and other metal ions: an electrospray mass spectrometric study 87
R. Colton, S. Mitchell, J.C. Traeger (Bundoora, Australia)

Preparation of *trans*-$RuH(\eta^1\text{-}BH_4)L$ (L = $Me_6[15]aneS_4$, $Me_8[16]aneS_4$) and oxidation in alcohols to give *trans*-$\{Ru(OR)_2(anti\text{-}Me_8[16]aneS_4)\}^+$ (R = Me, Et). Crystal structures of the hydrido and ethoxo complexes of $Me_8[16]aneS_4$ 95
T. Yoshida, T. Adachi, T. Ueda, H. Akao, T. Tanaka (Osaka, Japan), F. Goto (Tokushima, Japan)

Elsevier Science S.A.

Orthometalation of 6-amino-1,3-dimethyl-5-phenylazouracil: crystal structure and spectroscopic properties of *trans*-$[Rh^{III}Cl_2(L)(H_2O)]\cdot 3H_2O$ 103
M.I. Arriortua, J.L. Pizarro (Bilbao, Spain), J. Ruiz, J.M. Moreno, E. Colacio (Granada, Spain)

Manganese(II) complex of the 'tripod' ligand tris(2-benzimidazolylmethyl)amine. Five-coordinate and six-coordinate Mn(II) in the crystal structure 109
A.R. Oki, P.R. Bommarreddy (Brooklyn, NY, USA), H. Zhang, N. Hosmane (Dallas, TX, USA)

Kinetic study on complexation of boric acid with 4-isopropyltropolone in non-aqueous solvents 115
S. Kagawa, K.-I. Sugimoto, S. Funahashi (Nagoya, Japan)

The chelation of monochelated protoheme 121
M.A. Lopez, C.D. Ybarra, S. Hyatt (Long Beach, CA, USA)

Synthesis and characterization of $Cp^*Ru(\eta^6\text{-arene})^+$ and $Cp^*Ru(\eta^6{:}\eta^6\text{-diarene})RuCp^{*2+}$ complexes 133
D.E. Wheeler (Kenosha, WI, USA), S.T. Hill (Alma, MI, USA), J.D. Williams, E.J. Wedyck (Kenosha, WI, USA)

Synthesis and chemico-physical characterization of tin adducts with 2-imidazolidone. 139
P. Tavridou, U. Russo, D. Marton, G. Valle (Padua, Italy), D. Kovala-Demertzi (Ioannina, Greece)

$Tc(IV)Cl_4(PPh_3)_2$ and $Tc(III)Cl_3(CH_3CN)(PPh_3)_2$ as precursors of *trans* dioxo technetium(V) complexes with chelating amines and tetraazamacrocycles 147
F. Riché, M. Vidal (Grenoble, France), C. Bolzati, L. Uccelli, A. Marchi (Ferrara, Italy), A. Duatti (Bologna, Italy)

A tetranuclear cobalt complex with mercaptopyridine *N*-oxide as ligand. Synthesis and crystal structure of $[Na_3Co_4(\mu_3\text{-}O)_2(mpo)_8(DMF)_4]Br\cdot 2DMF$ (mpo = 2-mercaptopyridine-*N*-oxide) 153
F. Jiang, M. Hong, X. Xie, R. Cao, B. Kang, D. Wu, H. Liu (Fuzhou, Fujian, China)

Stabilities of the 2-mercaptoethylamine complexes of trivalent metal ions and divalent metal ions in aqueous solution 159
Y. Li, A.E. Martell (College Station, TX, USA)

Tetrahydrofuran and 1,2-dimethoxyethane derivatives of vanadium(II) and vanadium(III) 167
G. Pampaloni (Pisa, Italy), U. Englert (Aachen, Germany)

Molecular and crystal structure of zirconium hydroborates 175
U. Welling, P. Paetzold, U. Englert (Aachen, Germany)

Notes

Reactions of $Ru(HC{=}CHR)Cl(CO)(PPh_3)_2$ with functionalized carboxylates. Crystal structure of $Ru(HC{=}CHPh)(O_2C\text{–}CH{=}CH\text{–}CH{=}CH\text{–}CH_3)(CO)(PPh_3)_2$ 181
M. El Guaouzi, J. Ros (Bellaterra, Barcelona, Spain), X. Solans, M. Font-Bardía (Barcelona, Spain)

Structure–mesophase relationships in dialdehyde and related complexes of copper(II) and oxovanadium(IV) 187
A.B. Blake, J.R. Chipperfield, S. Clark (Hull, UK)

Pressure-tuning infrared spectra of the thiamine enzyme 'active aldehyde' intermediate 2-(α-hydroxycyclohexylmethyl)-thiamine chloride (HCMT·HCl) and its complex with zinc(II), $Zn(HCMT)Cl_3$ 191
I.S. Butler, Y. Huang (Montreal, Que., Canada) and N. Hadjiliadis (Ioannina, Greece)

Preparation and crystal structure of *trans*-$[NiBr\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$ 195
A.R. Kennedy, R.J. Cross, K.W. Muir (Glasgow, UK)

The solid state structure of the cation bis[(1,3-dioxane-2-ylmethyl)diphenylphosphine-*P*,*O'*,*P'*](pentamethylcyclopentadienyl)ruthenium(II) 201
E. Lindner, M. Haustein, H.A. Mayer, T. Schneller, R. Fawzi, M. Steimann (Tübingen, Germany)

Synthesis and characterisation of *trans*-$[RhCl_2(OH_2)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$; factors influencing the Rh–O bond length in rhodium–aqua complexes 207
A.R. Kennedy, R.J. Cross, K.W. Muir (Glasgow, UK)

Synthesis and crystal structure of tetranuclear nickel(0) complex with 1,4-diphenylbutadiyne in the η^2,η^2-bridging mode 213
M. Maekawa, M. Munakata, T. Kuroda-Sowa, K. Hachiya (Osaka, Japan)

Barium complexes of Schiff base macrocycles incorporating a difurylpropane unit and bearing a pendant arm 217
W. Minghu (Xianning, China), F. Enqin, W. Chengtai (Wuhan, China)

Substituent effects on the spin equilibrium in iron(II) pyrazolylborate complexes. 221
Th. Buchen, P. Gütlich (Mainz, Germany)

Synthesis and characterization of a tetraphosphine macrocyclic ligand and its manganese(II) complexes 225
G.Q. Li, R. Govind (Cincinnati, OH, USA)

A new one-dimensional ferromagnetic system starting from an antiferromagnetic trinuclear Cu(II) complex 229
J. Ribas, C. Diaz, X. Solans, M. Font-Bardía (Barcelona, Spain)

Synthesis and molecular structure of chloro(3-thiapentane-1,5-dithiolato)oxorhenium(V) 233
T. Fietz, H. Spies, H.-J. Pietzsch (Dresden, Germany), P. Leibnitz (Berlin, Germany)

Synthesis, characterization and reactivity of ruthenium complexes of the lacunary Keggin polyoxoanion: $[SiW_{11}O_{39}RuL]^{n-}$, $L = H_2O$, NO, N_2 237
K. Filipek (Bielefeld, Germany)

A dinucleating quinquepyridine analogue 241
G. Dong, A.T. Baker (Broadway, NSW, Australia), D.C. Craig (Kensington, NSW, Australia)

Mixed-ligand complexes of rhenium
VII. Synthesis, characterization and X-ray crystal structure of bis(diethyldithiocarbamato)(dimethylphenylphosphine)-(triphenylborylimido)rhenium(V), $[Re(NBPh_3)(Me_2PhP)(Et_2dtc)_2]$ 245
S. Ritter, U. Abram (Tübingen, Germany)

Carbonylmetal complexes (M = Cr, Mo, W) derived from *N*-bis(diisopropylamino)phosphinyl-*N'*-tert-butyl sulfur diimide. Novel five-membered $\widehat{PNSNM}$ metallacycles 249
M. Herberhold, C. Köhler, W. Milius, B. Wrackmeyer (Bayreuth, Germany)

Conference Calendar 255

Author Index of Volume 231 259

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.